



<b>MSGOIL BI27</b>		NR: Not Reported ND: Not Detected LOQ: Limit Of Quantitation $1 \text{ g} = 10^3 \text{ kg} = 10^3 \text{ mg} = 10^6 \mu\text{g}$ $1 \text{ mg/kg} = 1 \text{ ppm} = 1000 \text{ ppb}$
<b>CBD MASSAGE OIL</b>	Serving Size: 1 tablespoon	
Pixis Labs	Oregon Accreditation: OR100028	

POTENCY	PER SERVING	PER GRAM	REGULATORY ACTION LEVEL
Cannabidiol (CBD)	50.72 mg/serving	3.81 mg/g	N/A
Total THC (d9-THC + d8-THC)	1.877 mg/serving	0.141 mg/g	3 mg/g
Cannabigerol (CBG)	0.931 mg/serving	0.070 mg/g	N/A
Cannabinol (CBN)	<LOQ mg/serving	<LOQ mg/g	N/A
Cannabichromene (CBC)	<LOQ mg/serving	<LOQ mg/g	N/A

HEAVY METALS	PER GRAM	REGULATORY ACTION LEVEL
Arsenic	<LOQ	10 $\mu\text{g/day}^{[1]}$
Cadmium	<LOQ	4.1 $\mu\text{g/day}^{[1]}$
Lead	<LOQ	3.5 $\mu\text{g/day}^{[2]}$
Mercury	<LOQ	2 $\mu\text{g/day}^{[1]}$

PESTICIDES	REGULATORY ACTION LEVEL
None of the 59 pesticides tested found above limit of detection in the sample.	10 ppb <sup>[1]</sup>

1. American Herbal Pharmacopoeia. (2014). *Cannabis Inflorescence: Standards of Identity, Analysis, and Quality Control*. Washington DC: AHP.

2. US Food and Drug Administration. (2019). *Lead in Food, Foodwares, and Dietary Supplements*. Washington DC: FDA. US Food and Drug Administration. (2019). *Lead in Food, Foodwares, and Dietary Supplements*. Washington DC: FDA.



12423 NE Whitaker Way  
Portland, OR 97230  
503-254-1794



**Job Number:** 19-011158  
**Report Number:** 19-011158-00  
**Report Date:** 09/23/2019  
**ORELAP#:** OR100028  
**Purchase Order:**  
**Received:** 09/16/19 10:55

**Product identity:** BI27 MSGOIL Top  
**Laboratory ID:** 19-011158-0001

**Client/Metric ID:** .  
**Sample Date:** 09/12/19

### Summary

**Potency:**

Analyte per 0.9g	Result	Limits	Units	LOQ	
CBD per 0.9g	3.81		mg/0.9g	0.03	CBD-Total per 0.9g 3.81 mg/0.9g
CBG per 0.9g <sup>†</sup>	0.0697		mg/0.9g	0.03	
Δ9-THC per 0.9g	0.141		mg/0.9g	0.03	THC-Total per 0.9g 0.141 mg/0.9g
					(Reported in milligrams per serving)

Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Pixis quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be kept a maximum of 15 days from the report date unless prior arrangements have been made.



Customer: Etz Hayim Holdings

**Product identity:** BI27 MSGOIL Top  
**Client/Metric ID:** .  
**Sample Date:** 09/12/19  
**Laboratory ID:** 19-011158-0001  
**Relinquished by:** Received By Mail  
**Temp:** 22 °C  
**Serving Size #1:** 0.901 g

### Sample Results

Potency per 0.9g		Batch: 1908402					
Analyte	Result	Limits	Units	LOQ	Analyze	Method	Notes
CBC per 0.9g <sup>†</sup>	< LOQ		mg/0.9g	0.0300	09/23/19	J AOAC 2015 V98-6	
CBC-A per 0.9g <sup>†</sup>	< LOQ		mg/0.9g	0.0300	09/23/19	J AOAC 2015 V98-6	
CBC-Total per 0.9g <sup>†</sup>	< LOQ		mg/0.9g	0.0564	09/23/19	J AOAC 2015 V98-6	
CBD per 0.9g	3.81		mg/0.9g	0.0300	09/23/19	J AOAC 2015 V98-6	
CBD-A per 0.9g	< LOQ		mg/0.9g	0.0300	09/23/19	J AOAC 2015 V98-6	
CBD-Total per 0.9g	3.81		mg/0.9g	0.0564	09/23/19	J AOAC 2015 V98-6	
CBDV per 0.9g <sup>†</sup>	< LOQ		mg/0.9g	0.0300	09/23/19	J AOAC 2015 V98-6	
CBDV-A per 0.9g <sup>†</sup>	< LOQ		mg/0.9g	0.0300	09/23/19	J AOAC 2015 V98-6	
CBDV-Total per 0.9g <sup>†</sup>	< LOQ		mg/0.9g	0.0561	09/23/19	J AOAC 2015 V98-6	
CBG per 0.9g <sup>†</sup>	0.0697		mg/0.9g	0.0300	09/23/19	J AOAC 2015 V98-6	
CBG-A per 0.9g <sup>†</sup>	< LOQ		mg/0.9g	0.0300	09/23/19	J AOAC 2015 V98-6	
CBG-Total per 0.9g <sup>†</sup>	0.0697		mg/0.9g	0.0564	09/23/19	J AOAC 2015 V98-6	
CBL per 0.9g <sup>†</sup>	< LOQ		mg/0.9g	0.0300	09/23/19	J AOAC 2015 V98-6	
CBN per 0.9g	< LOQ		mg/0.9g	0.0300	09/23/19	J AOAC 2015 V98-6	
Δ8-THC per 0.9g <sup>†</sup>	< LOQ		mg/0.9g	0.0300	09/23/19	J AOAC 2015 V98-6	
Δ9-THC per 0.9g	0.141		mg/0.9g	0.0300	09/23/19	J AOAC 2015 V98-6	
THC-A per 0.9g	< LOQ		mg/0.9g	0.0300	09/23/19	J AOAC 2015 V98-6	
THC-Total per 0.9g	0.141		mg/0.9g	0.0564	09/23/19	J AOAC 2015 V98-6	
THCV per 0.9g <sup>†</sup>	< LOQ		mg/0.9g	0.0300	09/23/19	J AOAC 2015 V98-6	
THCV-A per 0.9g <sup>†</sup>	< LOQ		mg/0.9g	0.0300	09/23/19	J AOAC 2015 V98-6	
THCV-Total per 0.9g <sup>†</sup>	< LOQ		mg/0.9g	0.0561	09/23/19	J AOAC 2015 V98-6	

Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Pixis quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be kept a maximum of 15 days from the report date unless prior arrangements have been made.



12423 NE Whitaker Way  
Portland, OR 97230  
503-254-1794



**Job Number:** 19-011158  
**Report Number:** 19-011158-00  
**Report Date:** 09/30/2019  
**ORELAP#:** OR100028  
**Purchase Order:**  
**Received:** 09/16/19 10:55

**Product identity:** BI27 MSGOIL  
**Laboratory ID:** 19-011158-0007

**Client/Metric ID:** .  
**Sample Date:** 09/12/19

### Summary

-----  
**Metals:**

Less than LOQ for all analytes.

-----  
Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Pixis quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be kept a maximum of 15 days from the report date unless prior arrangements have been made.

Testing in accordance with:



12423 NE Whitaker Way  
Portland, OR 97230  
503-254-1794



**Job Number:** 19-011158  
**Report Number:** 19-011158-00  
**Report Date:** 09/30/2019  
**ORELAP#:** OR100028  
**Purchase Order:**  
**Received:** 09/16/19 10:55

Customer: Etz Hayim Holdings

**Product identity:** BI27 MSGOIL  
**Client/Metric ID:** .  
**Sample Date:** 09/12/19  
**Laboratory ID:** 19-011158-0007  
**Relinquished by:** Received By Mail  
**Temp:** 22 °C

### Sample Results

Metals								
Analyte	Result	Limits	Units	LOQ	Batch	Analyze	Method	Notes
Arsenic	< LOQ		mg/kg	0.0495	1908788	09/30/19	AOAC 2013.06 (mod.)	X
Cadmium	< LOQ		mg/kg	0.0495	1908788	09/30/19	AOAC 2013.06 (mod.)	X
Lead	< LOQ		mg/kg	0.0495	1908788	09/30/19	AOAC 2013.06 (mod.)	X
Mercury	< LOQ		mg/kg	0.0247	1908788	09/30/19	AOAC 2013.06 (mod.)	X

Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Pixis quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be kept a maximum of 15 days from the report date unless prior arrangements have been made.

Testing in accordance with:



12423 NE Whitaker Way  
Portland, OR 97230  
503-254-1794



**Job Number:** 19-011158  
**Report Number:** 19-011158-00  
**Report Date:** 09/30/2019  
**ORELAP#:** OR100028  
**Purchase Order:**  
**Received:** 09/16/19 10:55

**Product identity:** BI27 MSGOIL  
**Laboratory ID:** 19-011158-0004

**Client/Metric ID:** .  
**Sample Date:** 09/12/19

### Summary

**Pesticides:**

*All analytes passing and less than LOQ.*

Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Pixis quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be kept a maximum of 15 days from the report date unless prior arrangements have been made.



Customer: Etz Hayim Holdings

**Product identity:** BI27 MSGOIL  
**Client/Metric ID:** .  
**Sample Date:** 09/12/19  
**Laboratory ID:** 19-011158-0004  
**Relinquished by:** Received By Mail  
**Temp:** 22 °C

### Sample Results

Pesticides											
Method AOAC 2007.01 & EN 15662 (mod) Units mg/kg Batch 1908655 Analyze 09/25/19 08:58 PM											
Analyte	Result	Limits	LOQ	Status	Notes	Analyte	Result	Limits	LOQ	Status	Notes
Abamectin	< LOQ	0.50	0.250	pass		Acephate	< LOQ	0.40	0.250	pass	
Acequinocyl	< LOQ	2.0	1.00	pass		Acetamiprid	< LOQ	0.20	0.100	pass	
Aldicarb	< LOQ	0.40	0.200	pass		Azoxystrobin	< LOQ	0.20	0.100	pass	
Bifenazate	< LOQ	0.20	0.100	pass		Bifenthrin	< LOQ	0.20	0.100	pass	
Boscalid	< LOQ	0.40	0.100	pass		Carbaryl	< LOQ	0.20	0.100	pass	
Carbofuran	< LOQ	0.20	0.100	pass		Chlorantraniliprole	< LOQ	0.20	0.100	pass	
Chlorfenapyr	< LOQ	1.0	0.500	pass		Chlorpyrifos	< LOQ	0.20	0.100	pass	
Clofentezine	< LOQ	0.20	0.100	pass		Cyfluthrin (incl.	< LOQ	1.0	0.500	pass	
Cypermethrin	< LOQ	1.0	0.500	pass		Daminozide	< LOQ	1.0	0.500	pass	
Diazinon	< LOQ	0.20	0.100	pass		Dichlorvos	< LOQ	1.0	0.500	pass	
Dimethoate	< LOQ	0.20	0.100	pass		Ethoprophos	< LOQ	0.20	0.100	pass	
Etofenprox	< LOQ	0.40	0.200	pass		Etoxazole	< LOQ	0.20	0.100	pass	
Fenoxycarb	< LOQ	0.20	0.100	pass		Fenpyroximate	< LOQ	0.40	0.200	pass	
Fipronil	< LOQ	0.40	0.200	pass		Fonicamid	< LOQ	1.0	0.400	pass	
Fludioxonil	< LOQ	0.40	0.200	pass		Hexythiazox	< LOQ	1.0	0.400	pass	
Imazalil	< LOQ	0.20	0.100	pass		Imidacloprid	< LOQ	0.40	0.200	pass	
Kresoxim-methyl	< LOQ	0.40	0.200	pass		Malathion	< LOQ	0.20	0.100	pass	
Metalaxyl	< LOQ	0.20	0.100	pass		Methiocarb	< LOQ	0.20	0.100	pass	
Methomyl	< LOQ	0.40	0.200	pass		MGK-264	< LOQ	0.20	0.100	pass	
Myclobutanil	< LOQ	0.20	0.100	pass		Naled	< LOQ	0.50	0.250	pass	
Oxamyl	< LOQ	1.0	0.500	pass		Paclbutrazole	< LOQ	0.40	0.200	pass	
Parathion-Methyl	< LOQ	0.20	0.200	pass		Permethrin	< LOQ	0.20	0.100	pass	
Phosmet	< LOQ	0.20	0.100	pass		Piperonyl butoxide	< LOQ	2.0	1.00	pass	
Prallethrin	< LOQ	0.20	0.100	pass		Propiconazole	< LOQ	0.40	0.200	pass	
Propoxur	< LOQ	0.20	0.100	pass		Pyrethrin I (total)	< LOQ	1.0	0.500	pass	
Pyridaben	< LOQ	0.20	0.100	pass		Spinosad	< LOQ	0.20	0.100	pass	
Spiromesifen	< LOQ	0.20	0.100	pass		Spirotetramat	< LOQ	0.20	0.100	pass	
Spiroxamine	< LOQ	0.40	0.200	pass		Tebuconazole	< LOQ	0.40	0.200	pass	
Thiacloprid	< LOQ	0.20	0.100	pass		Thiamethoxam	< LOQ	0.20	0.100	pass	
Trifloxystrobin	< LOQ	0.20	0.100	pass							

Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Pixis quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be kept a maximum of 15 days from the report date unless prior arrangements have been made.