



## CONSOLIDATED TEST RESULTS SUMMARY

Please see the following pages for full test results.

<b>ISOPETT</b>	<b>CE83</b>	<b>NR:</b> Not Reported <b>NA:</b> Not Available
<b>ISOPETT</b>	<b>SERVING SIZE: 1 ML</b>	<b>LOQ:</b> Limit Of Quantitation <b>LOD:</b> Limit Of Detection
<b>LABORATORY: COLUMBIA LABORATORIES</b>	<b>OREGON ACCREDITATION: OR100028</b>	1 g = 10 <sup>-3</sup> kg = 10 <sup>3</sup> mg = 10 <sup>6</sup> µg 1 mg/kg = 1 ppm = 1000 ppb

POTENCY	PER SERVING	PER GRAM	REGULATORY ACTION LEVEL
Cannabidiol (CBD)	21.0 mg/serving	22.32 mg/g	N/A
Total THC (d9-THC + d8-THC)	<LOQ mg/serving	<LOQ mg/g	3 mg/g
Cannabigerol (CBG)	<LOQ mg/serving	<LOQ mg/g	N/A
Cannabinol (CBN)	<LOQ mg/serving	<LOQ mg/g	N/A
Cannabichromene (CBC)	<LOQ mg/serving	<LOQ mg/g	N/A

HEAVY METALS	PER SERVING	PER GRAM	REGULATORY ACTION LEVEL
Arsenic	<LOQ µg/serving	<LOQ µg/g	10 µg/day <sup>[1]</sup>
Cadmium	<LOQ µg/serving	<LOQ µg/g	4.1 µg/day <sup>[1]</sup>
Lead	<LOQ µg/serving	<LOQ µg/g	3.5 µg/day <sup>[2]</sup>
Mercury	<LOQ µg/serving	<LOQ µg/g	2 µg/day <sup>[1]</sup>

PESTICIDES	REGULATORY ACTION LEVEL
None of the 59 pesticides tested found above limit of quantitation in the sample.	10 ppb <sup>[1]</sup>

RESIDUAL SOLVENTS
None of the 36 residual solvents tested found above limit of quantitation in the sample.

MICROBIAL	PASS/FAIL
Yeast & Mold	Pass
Coliform	Pass

1. American Herbal Pharmacopoeia. (2014). *Cannabis Inflorescence: Standards of Identity, Analysis, and Quality Control*. Washington DC: AHP.  
 2. US Food and Drug Administration. (2019). *Lead in Food, Foodwares, and Dietary Supplements*. Washington DC: FDA. US Food and Drug Administration. (2019). *Lead in Food, Foodwares, and Dietary Supplements*. Washington DC: FDA.



12423 NE Whitaker Way  
Portland, OR 97230  
503-254-1794



**Report Number:** 20-005259/D02.R00  
**Report Date:** 05/27/2020  
**ORELAP#:** OR100028  
**Purchase Order:**  
**Received:** 05/21/20 17:05

**Customer:** Etz Hayim Holdings  
**Product identity:** CE83-ISOPETTN  
**Client/Metric ID:** FORM-0518-CE83  
**Laboratory ID:** 20-005259-0001

### Summary

**Potency:**

Analyte per 1ml	Result	Limits	Units	Status	
CBD per 1ml	21.0		mg/1ml		CBD-Total per 1ml 21.0 mg/1ml
CBDV per 1ml	0.0666		mg/1ml		THC-Total per 1ml <LOQ
(Reported in milligrams per serving)					



12423 NE Whitaker Way  
 Portland, OR 97230  
 503-254-1794

**Report Number:** 20-005259/D02.R00  
**Report Date:** 05/27/2020  
**ORELAP#:** OR100028  
**Purchase Order:**  
**Received:** 05/21/20 17:05



**Customer:** Etz Hayim Holdings

**Product identity:** CE83-ISOPETTN  
**Client/Metric ID:** FORM-0518-CE83  
**Sample Date:**  
**Laboratory ID:** 20-005259-0001  
**Relinquished by:** Client \*See COC\*  
**Temp:** 22.2 °C

### Sample Results

Potency per 1ml	Method J AOAC 2015 V98-6 (mod)	Batch: 2004379	Analyze: 1/1/70 12:00:00 AM		
Analyte	Result	Limits	Units	LOQ	Notes
CBC per 1ml	< LOQ		mg/1ml	0.0307	
CBC-A per 1ml	< LOQ		mg/1ml	0.0307	
CBC-Total per 1ml	< LOQ		mg/1ml	0.0575	
CBD per 1ml	21.0		mg/1ml	0.307	
CBD-A per 1ml	< LOQ		mg/1ml	0.0307	
CBD-Total per 1ml	21.0		mg/1ml	0.333	
CBDV per 1ml	0.0666		mg/1ml	0.0307	
CBDV-A per 1ml	< LOQ		mg/1ml	0.0307	
CBDV-Total per 1ml	0.0666		mg/1ml	0.0572	
CBG per 1ml	< LOQ		mg/1ml	0.0307	
CBG-A per 1ml	< LOQ		mg/1ml	0.0307	
CBG-Total per 1ml	< LOQ		mg/1ml	0.0572	
CBL per 1ml	< LOQ		mg/1ml	0.0307	
CBN per 1ml	< LOQ		mg/1ml	0.0307	
Δ8-THC per 1ml	< LOQ		mg/1ml	0.0307	
Δ9-THC per 1ml	< LOQ		mg/1ml	0.0307	
THC-A per 1ml	< LOQ		mg/1ml	0.0307	
THC-Total per 1ml	< LOQ		mg/1ml	0.0575	
THCV per 1ml	< LOQ		mg/1ml	0.0307	
THCV-A per 1ml	< LOQ		mg/1ml	0.0307	
THCV-Total per 1ml	< LOQ		mg/1ml	0.0576	
<b>Total Cannabinoids 1ml<sup>†</sup></b>	<b>21.1</b>		mg/1ml		

Analyte	Result	Limits	Units	LOQ	Batch	Analyze	Method	Notes
Density	0.941		g/ml			05/26/20	Client Provided	

Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made.



12423 NE Whitaker Way  
 Portland, OR 97230  
 503-254-1794



**Report Number:** 20-005259/D03.R00  
**Report Date:** 06/05/2020  
**ORELAP#:** OR100028  
**Purchase Order:**  
**Received:** 05/21/20 17:05

**Customer:** Etz Hayim Holdings

**Product identity:** CE83-ISOPETTN  
**Client/Metric ID:** FORM-0518-CE83  
**Sample Date:**  
**Laboratory ID:** 20-005259-0003  
**Relinquished by:** Client \*See COC\*  
**Temp:** 22.2 °C

### Sample Results

Solvents		Method EPA5021A				Units µg/g	Batch 2004440	Analyze 05/28/20 02:03 PM			
Analyte	Result	Limits	LOQ	Status	Notes	Analyte	Result	Limits	LOQ	Status	Notes
1,4-Dioxane	< LOQ	380	0.000	pass		2-Butanol	< LOQ	5000	0.000	pass	
2-Ethoxyethanol	< LOQ	160	0.000	pass		2-Methylbutane	< LOQ		0.000		
2-Methylpentane	< LOQ		0.000			2-Propanol (IPA)	< LOQ	5000	0.000	pass	
2,2-Dimethylbutane	< LOQ		0.000			2,2-Dimethylpropane	< LOQ		0.000		
2,3-Dimethylbutane	< LOQ		0.000			3-Methylpentane	< LOQ		0.000		
Acetone	< LOQ	5000	0.000	pass		Acetonitrile	< LOQ	410	0.000	pass	
Benzene	< LOQ	2.00	0.000	pass		Butanes (sum)	< LOQ	5000	400	pass	
Cyclohexane	< LOQ	3880	0.000	pass		Ethanol <sup>i</sup>	< LOQ		0.000		
Ethyl acetate	< LOQ	5000	0.000	pass		Ethyl benzene	< LOQ		0.000		
Ethyl ether	< LOQ	5000	0.000	pass		Ethylene glycol	< LOQ	620	0.000	pass	
Ethylene oxide	< LOQ	50.0	0.000	pass		Hexanes (sum)	< LOQ	290	150	pass	
Isopropyl acetate	< LOQ	5000	0.000	pass		Isopropylbenzene	< LOQ	70.0	0.000	pass	
m,p-Xylene	< LOQ		0.000			Methanol	< LOQ	3000	0.000	pass	
Methylene chloride	< LOQ	600	0.000	pass		Methylpropane	< LOQ		0.000		
n-Butane	< LOQ		0.000			n-Heptane	< LOQ	5000	0.000	pass	
n-Hexane	< LOQ		0.000			n-Pentane	< LOQ		0.000		
o-Xylene	< LOQ		0.000			Pentanes (sum)	< LOQ	5000	600	pass	
Propane	< LOQ	5000	0.000	pass		Tetrahydrofuran	< LOQ	720	0.000	pass	
Toluene	< LOQ	890	0.000	pass		Total Xylenes	< LOQ		400		
Total Xylenes and Ethyl	< LOQ	2170	600	pass							

Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made.



12423 NE Whitaker Way  
 Portland, OR 97230  
 503-254-1794

**Report Number:** 20-005259/D03.R00  
**Report Date:** 06/05/2020  
**ORELAP#:** OR100028  
**Purchase Order:**  
**Received:** 05/21/20 17:05



Pesticides											
Method AOAC 2007.01 & EN 15662 (mod) Units mg/kg Batch 2004486 Analyze 05/29/20 01:09 PM											
Analyte	Result	Limits	LOQ	Status	Notes	Analyte	Result	Limits	LOQ	Status	Notes
Abamectin	< LOQ	0.50	0.000	pass		Acephate	< LOQ	0.40	0.000	pass	
Acequinocyl	< LOQ	2.0	0.000	pass		Acetamiprid	< LOQ	0.20	0.000	pass	
Aldicarb	< LOQ	0.40	0.000	pass		Azoxystrobin	< LOQ	0.20	0.000	pass	
Bifenazate	< LOQ	0.20	0.000	pass		Bifenthrin	< LOQ	0.20	0.000	pass	
Boscalid	< LOQ	0.40	0.000	pass		Carbaryl	< LOQ	0.20	0.000	pass	
Carbofuran	< LOQ	0.20	0.000	pass		Chlorantraniliprole	< LOQ	0.20	0.000	pass	
Chlorfenapyr	< LOQ	1.0	0.000	pass		Chlorpyrifos	< LOQ	0.20	0.000	pass	
Clofentezine	< LOQ	0.20	0.000	pass		Cyfluthrin	< LOQ	1.0	0.000	pass	
Cypermethrin	< LOQ	1.0	0.000	pass		Daminozide	< LOQ	1.0	0.000	pass	
Diazinon	< LOQ	0.20	0.000	pass		Dichlorvos	< LOQ	1.0	0.000	pass	
Dimethoate	< LOQ	0.20	0.000	pass		Ethoprophos	< LOQ	0.20	0.000	pass	
Etofenprox	< LOQ	0.40	0.000	pass		Etoxazole	< LOQ	0.20	0.000	pass	
Fenoxycarb	< LOQ	0.20	0.000	pass		Fenpyroximate	< LOQ	0.40	0.000	pass	
Fipronil	< LOQ	0.40	0.000	pass		Fonicamid	< LOQ	1.0	0.000	pass	
Fludioxonil	< LOQ	0.40	0.000	pass		Hexythiazox	< LOQ	1.0	0.000	pass	
Imazalil	< LOQ	0.20	0.000	pass		Imidacloprid	< LOQ	0.40	0.000	pass	
Kresoxim-methyl	< LOQ	0.40	0.000	pass		Malathion	< LOQ	0.20	0.000	pass	
Metalaxyl	< LOQ	0.20	0.000	pass		Methiocarb	< LOQ	0.20	0.000	pass	
Methomyl	< LOQ	0.40	0.000	pass		MGK-264	< LOQ	0.20	0.000	pass	
Myclobutanil	< LOQ	0.20	0.000	pass		Naled	< LOQ	0.50	0.000	pass	
Oxamyl	< LOQ	1.0	0.000	pass		Paclobutrazole	< LOQ	0.40	0.000	pass	
Parathion-Methyl	< LOQ	0.20	0.000	pass		Permethrin	< LOQ	0.20	0.000	pass	
Phosmet	< LOQ	0.20	0.000	pass		Piperonyl butoxide	< LOQ	2.0	0.000	pass	
Prallethrin	< LOQ	0.20	0.000	pass		Propiconazole	< LOQ	0.40	0.000	pass	
Propoxur	< LOQ	0.20	0.000	pass		Pyrethrin I (total)	< LOQ	1.0	0.000	pass	
Pyridaben	< LOQ	0.20	0.000	pass		Spinosad	< LOQ	0.20	0.000	pass	
Spiromesifen	< LOQ	0.20	0.000	pass		Spirotetramat	< LOQ	0.20	0.000	pass	
Spiroxamine	< LOQ	0.40	0.000	pass		Tebuconazole	< LOQ	0.40	0.000	pass	
Thiacloprid	< LOQ	0.20	0.000	pass		Thiamethoxam	< LOQ	0.20	0.000	pass	
Trifloxystrobin	< LOQ	0.20	0.000	pass							

Metals										
Analyte	Result	Limits	Units	LOQ	Batch	Analyze	Method	Notes		
Arsenic	< LOQ		mg/kg	0.0458	2004635	05/29/20	AOAC 2013.06 (mod.)	X		
Cadmium	< LOQ		mg/kg	0.0458	2004635	05/29/20	AOAC 2013.06 (mod.)	X		
Lead	< LOQ		mg/kg	0.0458	2004635	05/29/20	AOAC 2013.06 (mod.)	X		
Mercury	< LOQ		mg/kg	0.0229	2004635	05/29/20	AOAC 2013.06 (mod.)	X		

Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made.



12423 NE Whitaker Way  
Portland, OR 97230  
503-254-1794



**Report Number:** 20-005259/D04.R00  
**Report Date:** 06/05/2020  
**ORELAP#:** OR100028  
**Purchase Order:**  
**Received:** 05/21/20 17:05

**Customer:** Etz Hayim Holdings  
**Product identity:** CE83-ISOPETTN  
**Client/Metric ID:** FORM-0518-CE83  
**Laboratory ID:** 20-005259-0002

## Summary

### Microbiology:

*Less than LOQ for all analytes.*



12423 NE Whitaker Way  
Portland, OR 97230  
503-254-1794



**Report Number:** 20-005259/D04.R00  
**Report Date:** 06/05/2020  
**ORELAP#:** OR100028  
**Purchase Order:**  
**Received:** 05/21/20 17:05

**Customer:** Etz Hayim Holdings

**Product identity:** CE83-ISOPETTN  
**Client/Metric ID:** FORM-0518-CE83  
**Sample Date:**  
**Laboratory ID:** 20-005259-0002  
**Relinquished by:** Client \*See COC\*  
**Temp:** 22.2 °C

### Sample Results

#### Microbiology

Analyte	Result	Limits	Units	LOQ	Batch	Analyze	Method	Notes
E.coli	< LOQ		cfu/g	10	2004409	05/30/20	AOAC 991.14 (Petrifilm)	X
Total Coliforms	< LOQ		cfu/g	10	2004409	05/30/20	AOAC 991.14 (Petrifilm)	X
Mold (RAPID Petrifilm)	< LOQ		cfu/g	10	2004410	05/30/20	AOAC 2014.05 (RAPID)	X
Yeast (RAPID Petrifilm)	< LOQ		cfu/g	10	2004410	05/30/20	AOAC 2014.05 (RAPID)	X