



LIQCP100 BH16(C)		NR: Not Reported NA: Not Available LOQ: Limit Of Quantitation LOD: Limit Of Detection 1 g = 10 ³ kg = 10 ³ mg = 10 ⁶ µg 1 mg/kg = 1 ppm = 1000 ppb	
100MG LIQUID CAPSULES	Serving Size: 1 Capsule		
Pixis Labs	Oregon Accreditation: OR100028		
POTENCY			
	PER SERVING	PER GRAM	REGULATORY ACTION LEVEL
Cannabidiol (CBD)	103 mg/serving	206 mg/g	N/A
Total THC (d9-THC + d8-THC)	1.01 mg/serving	2.02 mg/g	3 mg/g
Cannabigerol (CBG)	0.504 mg/serving	1.07 mg/g	N/A
Cannabinol (CBN)	<LOQ mg/serving	<LOQ mg/g	N/A
Cannabichromene (CBC)	<LOQ mg/serving	<LOQ mg/g	N/A
HEAVY METALS			
	PER SERVING	PER GRAM	REGULATORY ACTION LEVEL
Arsenic	<LOQ µg/serving	<LOQ µg/g	10 µg/day ^[1]
Cadmium	<LOQ µg/serving	<LOQ µg/g	4.1 µg/day ^[1]
Lead	<LOQ µg/serving	<LOQ µg/g	3.5 µg/day ^[2]
Mercury	<LOQ µg/serving	<LOQ µg/g	2 µg/day ^[1]
PESTICIDES			REGULATORY ACTION LEVEL
None of the 59 pesticides tested found above limit of detection in the sample.			10 ppb ^[1]
RESIDUAL SOLVENTS			
None of the 36 residual solvents tested found above limit of detection in the sample.			

- American Herbal Pharmacopoeia. (2014). *Cannabis Inflorescence: Standards of Identity, Analysis, and Quality Control*. Washington DC: AHP.
- US Food and Drug Administration. (2019). *Lead in Food, Foodwares, and Dietary Supplements*. Washington DC: FDA. US Food and Drug Administration. (2019). *Lead in Food, Foodwares, and Dietary Supplements*. Washington DC: FDA.



12423 NE Whitaker Way
Portland, OR 97230
503-254-1794



Job Number: 19-011239
Report Number: 19-011239-00
Report Date: 09/23/2019
ORELAP#: OR100028
Purchase Order:
Received: 09/17/19 11:15

Product identity: BH16(C) LIQCP100
Laboratory ID: 19-011239-0001

Client/Metric ID: .
Sample Date: 09/16/19

Summary

Potency:

Analyte per 1ml	Result	Limits	Units	LOQ	
CBD per 1ml	206		mg/1ml	0.03	CBD-Total per 1ml 206 mg/1ml
CBDV per 1ml [†]	0.819		mg/1ml	0.03	
CBG per 1ml [†]	1.07		mg/1ml	0.03	THC-Total per 1ml 2.02 mg/1ml
CBL per 1ml [†]	0.164		mg/1ml	0.03	
Δ9-THC per 1ml	2.02		mg/1ml	0.03	

Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Pixis quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be kept a maximum of 15 days from the report date unless prior arrangements have been made.



Customer: Etz Hayim Holdings

Product identity: BH16(C) LIQCP100
Client/Metric ID: .
Sample Date: 09/16/19
Laboratory ID: 19-011239-0001
Relinquished by: Received By Mail
Temp: 23.5 °C
Serving Size #1: 0.947 g

Sample Results

Potency per 1ml		Batch: 1908451					
Analyte	Result	Limits	Units	LOQ	Analyze	Method	Notes
CBC per 1ml [†]	< LOQ		mg/1ml	0.0316	09/23/19	J AOAC 2015 V98-6	
CBC-A per 1ml [†]	< LOQ		mg/1ml	0.0316	09/23/19	J AOAC 2015 V98-6	
CBC-Total per 1ml [†]	< LOQ		mg/1ml	0.0593	09/23/19	J AOAC 2015 V98-6	
CBD per 1ml	206		mg/1ml	0.0316	09/23/19	J AOAC 2015 V98-6	
CBD-A per 1ml	< LOQ		mg/1ml	0.0316	09/23/19	J AOAC 2015 V98-6	
CBD-Total per 1ml	206		mg/1ml	0.0593	09/23/19	J AOAC 2015 V98-6	
CBDV per 1ml [†]	0.819		mg/1ml	0.0316	09/23/19	J AOAC 2015 V98-6	
CBDV-A per 1ml [†]	< LOQ		mg/1ml	0.0316	09/23/19	J AOAC 2015 V98-6	
CBDV-Total per 1ml [†]	0.819		mg/1ml	0.0589	09/23/19	J AOAC 2015 V98-6	
CBG per 1ml [†]	1.07		mg/1ml	0.0316	09/23/19	J AOAC 2015 V98-6	
CBG-A per 1ml [†]	< LOQ		mg/1ml	0.0316	09/23/19	J AOAC 2015 V98-6	
CBG-Total per 1ml [†]	1.07		mg/1ml	0.0593	09/23/19	J AOAC 2015 V98-6	
CBL per 1ml [†]	0.164		mg/1ml	0.0316	09/23/19	J AOAC 2015 V98-6	
CBN per 1ml	< LOQ		mg/1ml	0.0316	09/23/19	J AOAC 2015 V98-6	
Δ8-THC per 1ml [†]	< LOQ		mg/1ml	0.0316	09/23/19	J AOAC 2015 V98-6	
Δ9-THC per 1ml	2.02		mg/1ml	0.0316	09/23/19	J AOAC 2015 V98-6	
THC-A per 1ml	< LOQ		mg/1ml	0.0316	09/23/19	J AOAC 2015 V98-6	
THC-Total per 1ml	2.02		mg/1ml	0.0593	09/23/19	J AOAC 2015 V98-6	
THCV per 1ml [†]	< LOQ		mg/1ml	0.0316	09/23/19	J AOAC 2015 V98-6	
THCV-A per 1ml [†]	< LOQ		mg/1ml	0.0316	09/23/19	J AOAC 2015 V98-6	
THCV-Total per 1ml [†]	< LOQ		mg/1ml	0.0589	09/23/19	J AOAC 2015 V98-6	

Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Pixis quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be kept a maximum of 15 days from the report date unless prior arrangements have been made.



12423 NE Whitaker Way
Portland, OR 97230
503-254-1794



Job Number: 19-011239
Report Number: 19-011239-00
Report Date: 10/08/2019
ORELAP#: OR100028
Purchase Order:
Received: 09/17/19 11:15

Product identity: BH16(C) LIQCP100
Laboratory ID: 19-011239-0006

Client/Metric ID: .
Sample Date: 09/16/19

Summary

Metals:

Less than LOQ for all analytes.

Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Pixis quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be kept a maximum of 15 days from the report date unless prior arrangements have been made.

Testing in accordance with:



12423 NE Whitaker Way
Portland, OR 97230
503-254-1794



Job Number: 19-011239
Report Number: 19-011239-00
Report Date: 10/08/2019
ORELAP#: OR100028
Purchase Order:
Received: 09/17/19 11:15

Customer: Etz Hayim Holdings

Product identity: BH16(C) LIQCP100

Client/Metric ID: .

Sample Date: 09/16/19

Laboratory ID: 19-011239-0006

Relinquished by: Received By Mail

Temp: 23.5 °C

Sample Results

Metals								
Analyte	Result	Limits	Units	LOQ	Batch	Analyze	Method	Notes
Arsenic	< LOQ		mg/kg	0.0450	1909013	10/07/19	AOAC 2013.06 (mod.)	X
Cadmium	< LOQ		mg/kg	0.0450	1909013	10/07/19	AOAC 2013.06 (mod.)	X
Lead	< LOQ		mg/kg	0.0450	1909013	10/07/19	AOAC 2013.06 (mod.)	X
Mercury	< LOQ		mg/kg	0.0225	1909013	10/07/19	AOAC 2013.06 (mod.)	X

Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Pixis quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be kept a maximum of 15 days from the report date unless prior arrangements have been made.

Testing in accordance with:



12423 NE Whitaker Way
Portland, OR 97230
503-254-1794



Job Number: 19-011239
Report Number: 19-011239-00
Report Date: 10/07/2019
ORELAP#: OR100028
Purchase Order:
Received: 09/17/19 11:15

Product identity: BH16(C) LIQCP100
Laboratory ID: 19-011239-0002

Client/Metric ID: .
Sample Date: 09/16/19

Summary

Pesticides:

All analytes passing and less than LOQ.

Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Pixis quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be kept a maximum of 15 days from the report date unless prior arrangements have been made.



Customer: Etz Hayim Holdings

Product identity: BH16(C) LIQCP100
Client/Metric ID: .
Sample Date: 09/16/19
Laboratory ID: 19-011239-0002
Relinquished by: Received By Mail
Temp: 23.5 °C

Sample Results

Pesticides		Method AOAC 2007.01 & EN 15662 (mod)				Units mg/kg	Batch 1908884	Analyze 10/02/19 04:37 PM			
Analyte	Result	Limits	LOQ	Status	Notes	Analyte	Result	Limits	LOQ	Status	Notes
Abamectin	< LOQ	0.50	0.250	pass		Acephate	< LOQ	0.40	0.250	pass	
Acequinocyl	< LOQ	2.0	1.00	pass		Acetamiprid	< LOQ	0.20	0.100	pass	
Aldicarb	< LOQ	0.40	0.200	pass		Azoxystrobin	< LOQ	0.20	0.100	pass	
Bifenazate	< LOQ	0.20	0.100	pass		Bifenthrin	< LOQ	0.20	0.100	pass	
Boscalid	< LOQ	0.40	0.100	pass		Carbaryl	< LOQ	0.20	0.100	pass	
Carbofuran	< LOQ	0.20	0.100	pass		Chlorantraniliprole	< LOQ	0.20	0.100	pass	
Chlorfenapyr	< LOQ	1.0	0.500	pass		Chlorpyrifos	< LOQ	0.20	0.100	pass	
Clofentezine	< LOQ	0.20	0.100	pass		Cyfluthrin (incl.	< LOQ	1.0	0.500	pass	
Cypermethrin	< LOQ	1.0	0.500	pass		Daminozide	< LOQ	1.0	0.500	pass	
Diazinon	< LOQ	0.20	0.100	pass		Dichlorvos	< LOQ	1.0	0.500	pass	
Dimethoate	< LOQ	0.20	0.100	pass		Ethoprophos	< LOQ	0.20	0.100	pass	
Etofenprox	< LOQ	0.40	0.200	pass		Etoazole	< LOQ	0.20	0.100	pass	
Fenoxycarb	< LOQ	0.20	0.100	pass		Fenpyroximate	< LOQ	0.40	0.200	pass	
Fipronil	< LOQ	0.40	0.200	pass		Fonicamid	< LOQ	1.0	0.400	pass	
Fludioxonil	< LOQ	0.40	0.200	pass		Hexythiazox	< LOQ	1.0	0.400	pass	
Imazalil	< LOQ	0.20	0.100	pass		Imidacloprid	< LOQ	0.40	0.200	pass	
Kresoxim-methyl	< LOQ	0.40	0.200	pass		Malathion	< LOQ	0.20	0.100	pass	
Metalaxyl	< LOQ	0.20	0.100	pass		Methiocarb	< LOQ	0.20	0.100	pass	
Methomyl	< LOQ	0.40	0.200	pass		MGK-264	< LOQ	0.20	0.100	pass	
Myclobutanil	< LOQ	0.20	0.100	pass		Naled	< LOQ	0.50	0.250	pass	
Oxamyl	< LOQ	1.0	0.500	pass		Paclobutrazole	< LOQ	0.40	0.200	pass	
Parathion-Methyl	< LOQ	0.20	0.200	pass		Permethrin	< LOQ	0.20	0.100	pass	
Phosmet	< LOQ	0.20	0.100	pass		Piperonyl butoxide	< LOQ	2.0	1.00	pass	
Prallethrin	< LOQ	0.20	0.100	pass		Propiconazole	< LOQ	0.40	0.200	pass	
Propoxur	< LOQ	0.20	0.100	pass		Pyrethrin I (total)	< LOQ	1.0	0.500	pass	
Pyridaben	< LOQ	0.20	0.100	pass		Spinosad	< LOQ	0.20	0.100	pass	
Spiromesifen	< LOQ	0.20	0.100	pass		Spirotetramat	< LOQ	0.20	0.100	pass	
Spiroxamine	< LOQ	0.40	0.200	pass		Tebuconazole	< LOQ	0.40	0.200	pass	
Thiacloprid	< LOQ	0.20	0.100	pass		Thiamethoxam	< LOQ	0.20	0.100	pass	
Trifloxystrobin	< LOQ	0.20	0.100	pass							

Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Pixis quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be kept a maximum of 15 days from the report date unless prior arrangements have been made.



12423 NE Whitaker Way
Portland, OR 97230
503-254-1794



Job Number: 19-011239
Report Number: 19-011239-00
Report Date: 10/08/2019
ORELAP#: OR100028
Purchase Order:
Received: 09/17/19 11:15

Product identity: BH16(C) LIQCP100
Laboratory ID: 19-011239-0003

Client/Metric ID: .
Sample Date: 09/16/19

Summary

Residual Solvents:

All analytes passing and less than LOQ.

Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Pixis quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be kept a maximum of 15 days from the report date unless prior arrangements have been made.



Customer: Etz Hayim Holdings

Product identity: BH16(C) LIQCP100
Client/Metric ID: .
Sample Date: 09/16/19
Laboratory ID: 19-011239-0003
Relinquished by: Received By Mail
Temp: 23.5 °C

Sample Results

Solvents		Method EPA5021A				Units µg/g	Batch 1908945	Analyze 10/03/19 06:49 PM			
Analyte	Result	Limits	LOQ	Status	Notes	Analyte	Result	Limits	LOQ	Status	Notes
1,4-Dioxane	< LOQ	380	100	pass		2-Butanol	< LOQ	5000	200	pass	
2-Ethoxyethanol	< LOQ	160	30.0	pass		2-Methylbutane	< LOQ		200		
2-Methylpentane	< LOQ		30.0			2-Propanol (IPA)	< LOQ	5000	200	pass	
2,2-Dimethylbutane	< LOQ		30.0			2,2-Dimethylpropane	< LOQ		200		
2,3-Dimethylbutane	< LOQ		30.0			3-Methylpentane	< LOQ		30.0		
Acetone	< LOQ	5000	200	pass		Acetonitrile	< LOQ	410	100	pass	
Benzene	< LOQ	2.00	1.00	pass		Butanes (sum)	< LOQ	5000	400	pass	
Cyclohexane	< LOQ	3880	200	pass		Ethanol ^l	< LOQ		200		
Ethyl acetate	< LOQ	5000	200	pass		Ethyl benzene	< LOQ		200		
Ethyl ether	< LOQ	5000	200	pass		Ethylene glycol	< LOQ	620	200	pass	
Ethylene oxide	< LOQ	50.0	30.0	pass		Hexanes (sum)	< LOQ	290	150	pass	
Isopropyl acetate	< LOQ	5000	200	pass		Isopropylbenzene	< LOQ	70.0	30.0	pass	
m,p-Xylene	< LOQ		200			Methanol	< LOQ	3000	200	pass	
Methylene chloride	< LOQ	600	200	pass		Methylpropane	< LOQ		200		
n-Butane	< LOQ		200			n-Heptane	< LOQ	5000	200	pass	
n-Hexane	< LOQ		30.0			n-Pentane	< LOQ		200		
o-Xylene	< LOQ		200			Pentanes (sum)	< LOQ	5000	600	pass	
Propane	< LOQ	5000	200	pass		Tetrahydrofuran	< LOQ	720	100	pass	
Toluene	< LOQ	890	100	pass		Total Xylenes	< LOQ		400		
Total Xylenes and Ethyl	< LOQ	2170	600	pass							

Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Pixis quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be kept a maximum of 15 days from the report date unless prior arrangements have been made.