



MSGOIL BJ35		NR: Not Reported ND: Not Detected LOQ: Limit Of Quantitation $1\text{ g} = 10^3\text{ kg} = 10^3\text{ mg} = 10^6\text{ }\mu\text{g}$ $1\text{ mg/kg} = 1\text{ ppm} = 1000\text{ ppb}$
CBD MASSAGE OIL	Serving Size: 1 tablespoon	
Pixis Labs	Oregon Accreditation: OR100028	

POTENCY	PER SERVING	PER GRAM	REGULATORY ACTION LEVEL
Cannabidiol (CBD)	51.91 mg/serving	3.51 mg/g	N/A
Total THC (d9-THC + d8-THC)	2.17 mg/serving	0.147 mg/g	3 mg/g
Cannabigerol (CBG)	1.49 mg/serving	0.101 mg/g	N/A
Cannabinol (CBN)	<LOQ mg/serving	<LOQ mg/g	N/A
Cannabichromene (CBC)	<LOQ mg/serving	<LOQ mg/g	N/A

HEAVY METALS	PER SERVING	PER GRAM	REGULATORY ACTION LEVEL
Arsenic	<LOQ $\mu\text{g/serving}$	<LOQ $\mu\text{g/g}$	10 $\mu\text{g/day}$ ^[1]
Cadmium	<LOQ $\mu\text{g/serving}$	<LOQ $\mu\text{g/g}$	4.1 $\mu\text{g/day}$ ^[1]
Lead	0.8223 $\mu\text{g/serving}$	0.0556 $\mu\text{g/g}$	3.5 $\mu\text{g/day}$ ^[2]
Mercury	<LOQ $\mu\text{g/serving}$	<LOQ $\mu\text{g/g}$	2 $\mu\text{g/day}$ ^[1]

PESTICIDES	REGULATORY ACTION LEVEL
None of the 59 pesticides tested found above limit of detection in the sample.	10 ppb ^[1]

1. American Herbal Pharmacopoeia. (2014). *Cannabis Inflorescence: Standards of Identity, Analysis, and Quality Control*. Washington DC: AHP.
2. US Food and Drug Administration. (2019). *Lead in Food, Foodwares, and Dietary Supplements*. Washington DC: FDA. US Food and Drug Administration. (2019). *Lead in Food, Foodwares, and Dietary Supplements*. Washington DC: FDA.



12423 NE Whitaker Way
Portland, OR 97230
503-254-1794



Job Number: 19-012608
Report Number: 19-012608-00
Report Date: 10/21/2019
ORELAP#: OR100028
Purchase Order:
Received: 10/15/19 16:10

Product identity: BJ35 MSGOIL Middle
Laboratory ID: 19-012608-0002

Client/Metric ID: .
Sample Date:

Summary

Potency:

Analyte per 1ml	Result	Limits	Units	Status	
CBD per 1ml	3.51		mg/1ml		CBD-Total per 1ml 3.51 mg/1ml
CBG per 1ml†	0.101		mg/1ml		
Δ9-THC per 1ml	0.147		mg/1ml		THC-Total per 1ml 0.147 mg/1ml

Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Pixis quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be kept a maximum of 15 days from the report date unless prior arrangements have been made.



Customer: Etz Hayim Holdings

Product identity: BJ35 MSGOIL Middle
Client/Metric ID: .
Sample Date:
Laboratory ID: 19-012608-0002
Relinquished by: ETZHH INC
Temp: 22.9 °C
Serving Size #1: 0.892 g

Sample Results

Potency per 1ml		Batch: 1909477					
Analyte	Result	Limits	Units	LOQ	Analyze	Method	Notes
CBC per 1ml [†]	< LOQ		mg/1ml	0.0297	10/21/19	J AOAC 2015 V98-6	
CBC-A per 1ml [†]	< LOQ		mg/1ml	0.0297	10/21/19	J AOAC 2015 V98-6	
CBC-Total per 1ml [†]	< LOQ		mg/1ml	0.0558	10/21/19	J AOAC 2015 V98-6	
CBD per 1ml	3.51		mg/1ml	0.0297	10/21/19	J AOAC 2015 V98-6	
CBD-A per 1ml	< LOQ		mg/1ml	0.0297	10/21/19	J AOAC 2015 V98-6	
CBD-Total per 1ml	3.51		mg/1ml	0.0558	10/21/19	J AOAC 2015 V98-6	
CBDV per 1ml [†]	< LOQ		mg/1ml	0.0297	10/21/19	J AOAC 2015 V98-6	
CBDV-A per 1ml [†]	< LOQ		mg/1ml	0.0297	10/21/19	J AOAC 2015 V98-6	
CBDV-Total per 1ml [†]	< LOQ		mg/1ml	0.0555	10/21/19	J AOAC 2015 V98-6	
CBG per 1ml [†]	0.101		mg/1ml	0.0297	10/21/19	J AOAC 2015 V98-6	
CBG-A per 1ml [†]	< LOQ		mg/1ml	0.0297	10/21/19	J AOAC 2015 V98-6	
CBG-Total per 1ml [†]	0.101		mg/1ml	0.0558	10/21/19	J AOAC 2015 V98-6	
CBL per 1ml [†]	< LOQ		mg/1ml	0.0297	10/21/19	J AOAC 2015 V98-6	
CBN per 1ml	< LOQ		mg/1ml	0.0297	10/21/19	J AOAC 2015 V98-6	
Δ8-THC per 1ml [†]	< LOQ		mg/1ml	0.0297	10/21/19	J AOAC 2015 V98-6	
Δ9-THC per 1ml	0.147		mg/1ml	0.0297	10/21/19	J AOAC 2015 V98-6	
THC-A per 1ml	< LOQ		mg/1ml	0.0297	10/21/19	J AOAC 2015 V98-6	
THC-Total per 1ml	0.147		mg/1ml	0.0558	10/21/19	J AOAC 2015 V98-6	
THCV per 1ml [†]	< LOQ		mg/1ml	0.0297	10/21/19	J AOAC 2015 V98-6	
THCV-A per 1ml [†]	< LOQ		mg/1ml	0.0297	10/21/19	J AOAC 2015 V98-6	
THCV-Total per 1ml [†]	< LOQ		mg/1ml	0.0555	10/21/19	J AOAC 2015 V98-6	

Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Pixis quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be kept a maximum of 15 days from the report date unless prior arrangements have been made.



12423 NE Whitaker Way
Portland, OR 97230
503-254-1794



Report Number: 19-012608/D04.R00
Report Date: 10/28/2019
ORELAP#: OR100028
Purchase Order:
Received: 10/15/19 16:10

Product identity: BJ35 MSGOIL
Laboratory ID: 19-012608-0004

Client/Metric ID: .
Sample Date:

Summary

Pesticides:

All analytes passing and less than LOQ.

Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Pixis quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made.



Customer: Etz Hayim Holdings

Product identity: BJ35 MSGOIL

Client/Metric ID: .

Sample Date:

Laboratory ID: 19-012608-0004

Relinquished by: ETZHH INC

Temp: 22.9 °C

Sample Results

Pesticides											
Method AOAC 2007.01 & EN 15662 (mod) Units mg/kg Batch 1909579 Analyze 10/22/19 04:09 PM											
Analyte	Result	Limits	LOQ	Status	Notes	Analyte	Result	Limits	LOQ	Status	Notes
Abamectin	< LOQ	0.50	0.250	pass		Acephate	< LOQ	0.40	0.250	pass	
Acequinocyl	< LOQ	2.0	1.00	pass		Acetamiprid	< LOQ	0.20	0.100	pass	
Aldicarb	< LOQ	0.40	0.200	pass		Azoxystrobin	< LOQ	0.20	0.100	pass	
Bifenazate	< LOQ	0.20	0.100	pass		Bifenthrin	< LOQ	0.20	0.100	pass	
Boscalid	< LOQ	0.40	0.200	pass		Carbaryl	< LOQ	0.20	0.100	pass	
Carbofuran	< LOQ	0.20	0.100	pass		Chlorantraniliprole	< LOQ	0.20	0.100	pass	
Chlorfenapyr	< LOQ	1.0	0.500	pass		Chlorpyrifos	< LOQ	0.20	0.100	pass	
Clofentezine	< LOQ	0.20	0.100	pass		Cyfluthrin	< LOQ	1.0	0.500	pass	
Cypermethrin	< LOQ	1.0	0.500	pass		Daminozide	< LOQ	1.0	0.500	pass	
Diazinon	< LOQ	0.20	0.100	pass		Dichlorvos	< LOQ	1.0	0.500	pass	
Dimethoate	< LOQ	0.20	0.100	pass		Ethoprophos	< LOQ	0.20	0.100	pass	
Etofenprox	< LOQ	0.40	0.200	pass		Etoxazole	< LOQ	0.20	0.100	pass	
Fenoxycarb	< LOQ	0.20	0.100	pass		Fenpyroximate	< LOQ	0.40	0.200	pass	
Fipronil	< LOQ	0.40	0.200	pass		Fonicamid	< LOQ	1.0	0.400	pass	
Fludioxonil	< LOQ	0.40	0.200	pass		Hexythiazox	< LOQ	1.0	0.400	pass	
Imazalil	< LOQ	0.20	0.100	pass		Imidacloprid	< LOQ	0.40	0.200	pass	
Kresoxim-methyl	< LOQ	0.40	0.200	pass		Malathion	< LOQ	0.20	0.100	pass	
Metalaxyl	< LOQ	0.20	0.100	pass		Methiocarb	< LOQ	0.20	0.100	pass	
Methomyl	< LOQ	0.40	0.200	pass		MGK-264	< LOQ	0.20	0.100	pass	
Myclobutanil	< LOQ	0.20	0.100	pass		Naled	< LOQ	0.50	0.250	pass	
Oxamyl	< LOQ	1.0	0.500	pass		Paclobutrazole	< LOQ	0.40	0.200	pass	
Parathion-Methyl	< LOQ	0.20	0.200	pass		Permethrin	< LOQ	0.20	0.100	pass	
Phosmet	< LOQ	0.20	0.100	pass		Piperonyl butoxide	< LOQ	2.0	1.00	pass	
Prallethrin	< LOQ	0.20	0.200	pass		Propiconazole	< LOQ	0.40	0.200	pass	
Propoxur	< LOQ	0.20	0.100	pass		Pyrethrin I (total)	< LOQ	1.0	0.500	pass	
Pyridaben	< LOQ	0.20	0.100	pass		Spinosad	< LOQ	0.20	0.100	pass	
Spiromesifen	< LOQ	0.20	0.100	pass		Spirotetramat	< LOQ	0.20	0.100	pass	
Spiroxamine	< LOQ	0.40	0.200	pass		Tebuconazole	< LOQ	0.40	0.200	pass	
Thiacloprid	< LOQ	0.20	0.100	pass		Thiamethoxam	< LOQ	0.20	0.100	pass	
Trifloxystrobin	< LOQ	0.20	0.100	pass							

Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Pixis quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made.



12423 NE Whitaker Way
Portland, OR 97230
503-254-1794



Report Number: 19-012608/D07.R00
Report Date: 10/28/2019
ORELAP#: OR100028
Purchase Order:
Received: 10/15/19 16:10

Product identity: BJ35 MSGOIL
Laboratory ID: 19-012608-0007

Client/Metric ID: .
Sample Date:

Summary

Metals:

Analyte	Result	Limits
Lead	0.0556	

Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Pixis quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made.

Testing in accordance with:



12423 NE Whitaker Way
Portland, OR 97230
503-254-1794

Report Number: 19-012608/D07.R00
Report Date: 10/28/2019
ORELAP#: OR100028
Purchase Order:
Received: 10/15/19 16:10



Customer: Etz Hayim Holdings

Product identity: BJ35 MSGOIL

Client/Metric ID: .

Sample Date:

Laboratory ID: 19-012608-0007

Relinquished by: ETZHH INC

Temp: 22.9 °C

Sample Results

Metals								
Analyte	Result	Limits	Units	LOQ	Batch	Analyze	Method	Notes
Arsenic	< LOQ		mg/kg	0.0421	1909726	10/25/19	AOAC 2013.06 (mod.)	X
Cadmium	< LOQ		mg/kg	0.0421	1909726	10/25/19	AOAC 2013.06 (mod.)	X
Lead	0.0556		mg/kg	0.0421	1909726	10/25/19	AOAC 2013.06 (mod.)	X
Mercury	< LOQ		mg/kg	0.0210	1909726	10/25/19	AOAC 2013.06 (mod.)	X

Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Pixis quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made.

Testing in accordance with: