



CONSOLIDATED TEST RESULTS SUMMARY

Please see the following pages for full test results.

PET-VIT	CI56	NR: Not Reported NA: Not Available
PET TREAT: VITALITY	SERVING: 5.67 G (1 TREAT)	LOQ: Limit Of Quantitation LOD: Limit Of Detection
LABORATORY: COLUMBIA LABORATORIES	OREGON ACCREDITATION: OR100028	1 g = 10 ⁻³ kg = 10 ³ mg = 10 ⁶ µg 1 mg/kg = 1 ppm = 1000 ppb

POTENCY	PER SERVING	PER GRAM	REGULATORY ACTION LEVEL
Cannabidiol (CBD)	6.29 mg/serving	1.11 mg/g	N/A
Total THC (d9-THC, d8-THC, THCA)	<LOQ mg/serving	<LOQ mg/g	3 mg/g
Cannabigerol (CBG)	<LOQ mg/serving	<LOQ mg/g	N/A
Cannabinol (CBN)	<LOQ mg/serving	<LOQ mg/g	N/A
Cannabichromene (CBC)	0.258 mg/serving	0.0455 mg/g	N/A
Tetrahydrocannabinolic Acid (THCA)	<LOQ mg/serving	<LOQ mg/g	N/A
Delta-9-THC (d9-THC)	0.187 mg/serving	0.0330 mg/g	N/A
Delta-8-THC (d8-THC)	<LOQ mg/serving	<LOQ mg/g	N/A

HEAVY METALS	PER SERVING	PER GRAM	REGULATORY ACTION LEVEL
Arsenic	0.172 µg/serving	0.0304 µg/g	10 µg/day ^[1]
Cadmium	0.129 µg/serving	0.0227 µg/g	4.1 µg/day ^[1]
Lead	0.358 µg/serving	0.0631 µg/g	3.5 µg/day ^[2]
Mercury	<LOQ µg/serving	<LOQ µg/g	2 µg/day ^[1]

PESTICIDES

None of the 59 pesticides tested found above limit of quantitation in the sample. 10 ppb^[1]

RESIDUAL SOLVENTS

None of the 36 residual solvents tested found above limit of quantitation in the sample.

MICROBIAL

MICROBIAL	PASS/FAIL
Yeast & Mold	Pass
Coliform	Pass
Water Activity	Pass

1. American Herbal Pharmacopoeia. (2014). *Cannabis Inflorescence: Standards of Identity, Analysis, and Quality Control*. Washington DC: AHP.
 2. US Food and Drug Administration. (2019). *Lead in Food, Foodwares, and Dietary Supplements*. Washington DC: FDA. US Food and Drug Administration. (2019). *Lead in Food, Foodwares, and Dietary Supplements*. Washington DC: FDA.



12423 NE Whitaker Way
 Portland, OR 97230
 503-254-1794



Report Number: 20-010130/D03.R00
Report Date: 10/01/2020
ORELAP#: OR100028
Purchase Order: testCode
Received: 09/22/20 10:59

Customer: Etz Hayim Holdings
Product identity: CI56-PET-VIT
Client/Metric ID: .
Laboratory ID: 20-010130-0001

Summary

Potency:

Analyte per 1g	Result	Limits	Units	Status	
CBC per 1g	0.0455		mg/1g		CBD-Total per 1g 1.11 mg/1g
CBD per 1g	1.11		mg/1g		
Δ9-THC per 1g	0.0330		mg/1g		THC-Total per 1g <LOQ
(Reported in milligrams per serving)					

Residual Solvents:

All analytes passing and less than LOQ.

Pesticides:

All analytes passing and less than LOQ.

Metals:

Analyte	Result	Limits	Analyte	Result	Limits
Lead	0.0631		Arsenic	0.0304	
Cadmium	0.0227				

Microbiology:

Analyte	Result	Limits
Mold (RAPID Petrifilm)	80	



12423 NE Whitaker Way
 Portland, OR 97230
 503-254-1794

Report Number: 20-010130/D03.R00
Report Date: 10/01/2020
ORELAP#: OR100028
Purchase Order: testCode
Received: 09/22/20 10:59



Customer: Etz Hayim Holdings
 16427 NE Airport Way
 PORTLAND 97230
 United States

Product identity: CI56-PET-VIT
Client/Metric ID: .
Sample Date: .
Laboratory ID: 20-010130-0001
Relinquished by: Tyler Ashmore
Temp: 22.8 °C
Serving Size #1: 1 g

Sample Results

Potency per 1g		Method J AOAC 2015 V98-6 (mod)		Batch: 2007847		Analyze: 9/23/20 4:37:00 PM	
Analyte	Result	Limits	Units	LOQ	Notes		
CBC per 1g	0.0455		mg/1g	0.0326			
CBC-A per 1g	< LOQ		mg/1g	0.0326			
CBC-Total per 1g	< LOQ		mg/1g	0.0612			
CBD per 1g	1.11		mg/1g	0.0326			
CBD-A per 1g	< LOQ		mg/1g	0.0326			
CBD-Total per 1g	1.11		mg/1g	0.0612			
CBDV per 1g	< LOQ		mg/1g	0.0326			
CBDV-A per 1g	< LOQ		mg/1g	0.0326			
CBDV-Total per 1g	< LOQ		mg/1g	0.0609			
CBG per 1g	< LOQ		mg/1g	0.0326			
CBG-A per 1g	< LOQ		mg/1g	0.0326			
CBG-Total per 1g	< LOQ		mg/1g	0.0609			
CBL per 1g	< LOQ		mg/1g	0.0326			
CBN per 1g	< LOQ		mg/1g	0.0326			
Δ8-THC per 1g	< LOQ		mg/1g	0.0326			
Δ9-THC per 1g	0.0330		mg/1g	0.0326			
THC-A per 1g	< LOQ		mg/1g	0.0326			
THC-Total per 1g	< LOQ		mg/1g	0.0612			
THCV per 1g	< LOQ		mg/1g	0.0326			
THCV-A per 1g	< LOQ		mg/1g	0.0326			
THCV-Total per 1g	< LOQ		mg/1g	0.0612			
Total Cannabinoids 1g[†]	1.22		mg/1g				

Microbiology								
Analyte	Result	Limits	Units	LOQ	Batch	Analyze	Method	Notes
E.coli	< LOQ		cfu/g	10	2007750	09/24/20	AOAC 991.14 (Petrifilm)	X
Total Coliforms	< LOQ		cfu/g	10	2007750	09/24/20	AOAC 991.14 (Petrifilm)	X
Mold (RAPID Petrifilm)	80		cfu/g	10	2007751	09/24/20	AOAC 2014.05 (RAPID)	X
Yeast (RAPID Petrifilm)	< LOQ		cfu/g	10	2007751	09/24/20	AOAC 2014.05 (RAPID)	X

Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made.



12423 NE Whitaker Way
 Portland, OR 97230
 503-254-1794



Report Number: 20-010130/D03.R00
Report Date: 10/01/2020
ORELAP#: OR100028
Purchase Order: testCode
Received: 09/22/20 10:59

Solvents						Method EPA5021A	Units µg/g	Batch 2007813	Analyze 09/23/20 01:18 PM		
Analyte	Result	Limits	LOQ	Status	Notes	Analyte	Result	Limits	LOQ	Status	Notes
1,4-Dioxane	< LOQ	380	100	pass		2-Butanol	< LOQ	5000	200	pass	
2-Ethoxyethanol	< LOQ	160	30.0	pass		2-Methylbutane	< LOQ		200		
2-Methylpentane	< LOQ		30.0			2-Propanol (IPA)	< LOQ	5000	200	pass	
2,2-Dimethylbutane	< LOQ		30.0			2,2-Dimethylpropane	< LOQ		200		
2,3-Dimethylbutane	< LOQ		30.0			3-Methylpentane	< LOQ		30.0		
Acetone	< LOQ	5000	200	pass		Acetonitrile	< LOQ	410	100	pass	
Benzene	< LOQ	2.00	1.00	pass		Butanes (sum)	< LOQ	5000	400	pass	
Cyclohexane	< LOQ	3880	200	pass		Ethanol ¹	< LOQ		200		
Ethyl acetate	< LOQ	5000	200	pass		Ethyl benzene	< LOQ		200		
Ethyl ether	< LOQ	5000	200	pass		Ethylene glycol	< LOQ	620	200	pass	
Ethylene oxide	< LOQ	50.0	30.0	pass		Hexanes (sum)	< LOQ	290	150	pass	
Isopropyl acetate	< LOQ	5000	200	pass		Isopropylbenzene	< LOQ	70.0	30.0	pass	
m,p-Xylene	< LOQ		200			Methanol	< LOQ	3000	200	pass	
Methylene chloride	< LOQ	600	200	pass		Methylpropane	< LOQ		200		
n-Butane	< LOQ		200			n-Heptane	< LOQ	5000	200	pass	
n-Hexane	< LOQ		30.0			n-Pentane	< LOQ		200		
o-Xylene	< LOQ		200			Pentanes (sum)	< LOQ	5000	600	pass	
Propane	< LOQ	5000	200	pass		Tetrahydrofuran	< LOQ	720	100	pass	
Toluene	< LOQ	890	100	pass		Total Xylenes	< LOQ		400		
Total Xylenes and Ethyl	< LOQ	2170	600	pass							

Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made.



12423 NE Whitaker Way
 Portland, OR 97230
 503-254-1794

Report Number: 20-010130/D03.R00
Report Date: 10/01/2020
ORELAP#: OR100028
Purchase Order: testCode
Received: 09/22/20 10:59



Pesticides											
Method AOAC 2007.01 & EN 15662 (mod) Units mg/kg Batch 2007892 Analyze 09/25/20 11:45 AM											
Analyte	Result	Limits	LOQ	Status	Notes	Analyte	Result	Limits	LOQ	Status	Notes
Abamectin	< LOQ	0.50	0.250	pass		Acephate	< LOQ	0.40	0.250	pass	
Acequinocyl	< LOQ	2.0	1.00	pass		Acetamiprid	< LOQ	0.20	0.100	pass	
Aldicarb	< LOQ	0.40	0.200	pass		Azoxystrobin	< LOQ	0.20	0.100	pass	
Bifenazate	< LOQ	0.20	0.100	pass		Bifenthrin	< LOQ	0.20	0.100	pass	
Boscalid	< LOQ	0.40	0.200	pass		Carbaryl	< LOQ	0.20	0.100	pass	
Carbofuran	< LOQ	0.20	0.100	pass		Chlorantraniliprole	< LOQ	0.20	0.100	pass	
Chlorfenapyr	< LOQ	1.0	0.500	pass		Chlorpyrifos	< LOQ	0.20	0.100	pass	
Clofentezine	< LOQ	0.20	0.100	pass		Cyfluthrin	< LOQ	1.0	0.500	pass	
Cypermethrin	< LOQ	1.0	0.500	pass		Daminozide	< LOQ	1.0	0.500	pass	
Diazinon	< LOQ	0.20	0.100	pass		Dichlorvos	< LOQ	1.0	0.500	pass	
Dimethoate	< LOQ	0.20	0.100	pass		Ethoprophos	< LOQ	0.20	0.100	pass	
Etofenprox	< LOQ	0.40	0.200	pass		Etoxazole	< LOQ	0.20	0.100	pass	
Fenoxycarb	< LOQ	0.20	0.100	pass		Fenpyroximate	< LOQ	0.40	0.200	pass	
Fipronil	< LOQ	0.40	0.200	pass		Fonicamid	< LOQ	1.0	0.400	pass	
Fludioxonil	< LOQ	0.40	0.200	pass		Hexythiazox	< LOQ	1.0	0.400	pass	
Imazalil	< LOQ	0.20	0.100	pass		Imidacloprid	< LOQ	0.40	0.200	pass	
Kresoxim-methyl	< LOQ	0.40	0.200	pass		Malathion	< LOQ	0.20	0.100	pass	
Metalaxyl	< LOQ	0.20	0.100	pass		Methiocarb	< LOQ	0.20	0.100	pass	
Methomyl	< LOQ	0.40	0.200	pass		MGK-264	< LOQ	0.20	0.100	pass	
Myclobutanil	< LOQ	0.20	0.100	pass		Naled	< LOQ	0.50	0.250	pass	
Oxamyl	< LOQ	1.0	0.500	pass		Paclobutrazole	< LOQ	0.40	0.200	pass	
Parathion-Methyl	< LOQ	0.20	0.200	pass		Permethrin	< LOQ	0.20	0.100	pass	
Phosmet	< LOQ	0.20	0.100	pass		Piperonyl butoxide	< LOQ	2.0	1.00	pass	
Prallethrin	< LOQ	0.20	0.200	pass		Propiconazole	< LOQ	0.40	0.200	pass	
Propoxur	< LOQ	0.20	0.100	pass		Pyrethrin I (total)	< LOQ	1.0	0.500	pass	
Pyridaben	< LOQ	0.20	0.100	pass		Spinosad	< LOQ	0.20	0.100	pass	
Spiromesifen	< LOQ	0.20	0.100	pass		Spirotetramat	< LOQ	0.20	0.100	pass	
Spiroxamine	< LOQ	0.40	0.200	pass		Tebuconazole	< LOQ	0.40	0.200	pass	
Thiacloprid	< LOQ	0.20	0.100	pass		Thiamethoxam	< LOQ	0.20	0.100	pass	
Trifloxystrobin	< LOQ	0.20	0.100	pass							

Metals									
Analyte	Result	Limits	Units	LOQ	Batch	Analyze	Method	Notes	
Arsenic	0.0304		mg/kg	0.00877	2008048	09/30/20	AOAC 2013.06 (mod.)	X	
Cadmium	0.0227		mg/kg	0.00877	2008048	09/30/20	AOAC 2013.06 (mod.)	X	
Lead	0.0631		mg/kg	0.00877	2008048	09/30/20	AOAC 2013.06 (mod.)	X	
Mercury	< LOQ		mg/kg	0.00439	2008048	09/30/20	AOAC 2013.06 (mod.)	X	

Nutrition									
Analyte	Result	Limits	Units	LOQ	Batch	Analyze	Method	Notes	
Water Activity	0.646	0.650	Aw	0.030	2007927	09/25/20	AOAC 978.18	X	

Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made.