



CONSOLIDATED TEST RESULTS SUMMARY

Please see the following pages for full test results.

| | | |
|--|---------------------------------------|---|
| CWB.SL25 | CG104 | NR: Not Reported NA: Not Available |
| 25 MG CHEWABLE TABLETS | SERVING: 0.5 G (1 TABLET) | LOQ: Limit Of Quantitation LOD: Limit Of Detection |
| LABORATORY: COLUMBIA LABORATORIES | OREGON ACCREDITATION: OR100028 | $1 \text{ g} = 10^{-3} \text{ kg} = 10^3 \text{ mg} = 10^6 \text{ }\mu\text{g}$ $1 \text{ mg/kg} = 1 \text{ ppm} = 1000 \text{ ppb}$ |

| POTENCY | PER SERVING | PER GRAM | REGULATORY ACTION LEVEL |
|------------------------------------|-----------------|-----------|-------------------------|
| Cannabidiol (CBD) | 28.0 mg/serving | 56.0 mg/g | N/A |
| Total THC (d9-THC, d8-THC, THCA) | <LOQ mg/serving | <LOQ mg/g | 3 mg/g |
| Cannabigerol (CBG) | <LOQ mg/serving | <LOQ mg/g | N/A |
| Cannabinol (CBN) | <LOQ mg/serving | <LOQ mg/g | N/A |
| Cannabichromene (CBC) | <LOQ mg/serving | <LOQ mg/g | N/A |
| Tetrahydrocannabinolic Acid (THCA) | <LOQ mg/serving | <LOQ mg/g | N/A |
| Delta-9-THC (d9-THC) | <LOQ mg/serving | <LOQ mg/g | N/A |
| Delta-8-THC (d8-THC) | <LOQ mg/serving | <LOQ mg/g | N/A |

| HEAVY METALS | PER SERVING | PER GRAM | REGULATORY ACTION LEVEL |
|--------------|----------------------------|----------------------|-----------------------------|
| Arsenic | <LOQ $\mu\text{g/serving}$ | <LOQ $\mu\text{g/g}$ | 10 $\mu\text{g/day}^{[1]}$ |
| Cadmium | <LOQ $\mu\text{g/serving}$ | <LOQ $\mu\text{g/g}$ | 4.1 $\mu\text{g/day}^{[1]}$ |
| Lead | <LOQ $\mu\text{g/serving}$ | <LOQ $\mu\text{g/g}$ | 3.5 $\mu\text{g/day}^{[2]}$ |
| Mercury | <LOQ $\mu\text{g/serving}$ | <LOQ $\mu\text{g/g}$ | 2 $\mu\text{g/day}^{[1]}$ |

| PESTICIDES | REGULATORY ACTION LEVEL |
|---|-------------------------|
| None of the 59 pesticides tested found above limit of quantitation in the sample. | 10 ppb ^[1] |

| RESIDUAL SOLVENTS |
|--|
| None of the 36 residual solvents tested found above limit of quantitation in the sample. |

| MICROBIAL | PASS/FAIL |
|----------------|-----------|
| Yeast & Mold | Pass |
| Coliform | Pass |
| Water Activity | Pass |

1. American Herbal Pharmacopoeia. (2014). *Cannabis Inflorescence: Standards of Identity, Analysis, and Quality Control*. Washington DC: AHP.
 2. US Food and Drug Administration. (2019). *Lead in Food, Foodwares, and Dietary Supplements*. Washington DC: FDA. US Food and Drug Administration. (2019). *Lead in Food, Foodwares, and Dietary Supplements*. Washington DC: FDA.



12423 NE Whitaker Way
Portland, OR 97230
503-254-1794



Report Number: 20-008518/D02.R00
Report Date: 08/17/2020
ORELAP#: OR100028
Purchase Order:
Received: 08/13/20 10:30

Customer: Etz Hayim Holdings
Product identity: CG104-CWB.SL25
Client/Metric ID: Form-7/31/-CG104
Laboratory ID: 20-008518-0001

Summary

Potency:

| Analyte per 1g | Result | Limits | Units | Status | |
|--------------------------------------|--------|--------|-------|--------|-----------------------------|
| CBD per 1g | 56.0 | | mg/1g | | CBD-Total per 1g 56.0 mg/1g |
| CBDV per 1g | 0.165 | | mg/1g | | THC-Total per 1g <LOQ |
| (Reported in milligrams per serving) | | | | | |



12423 NE Whitaker Way
 Portland, OR 97230
 503-254-1794



Report Number: 20-008518/D02.R00
Report Date: 08/17/2020
ORELAP#: OR100028
Purchase Order:
Received: 08/13/20 10:30

Customer: Etz Hayim Holdings

Product identity: CG104-CWB.SL25
Client/Metric ID: Form-7/31/-CG104
Sample Date:
Laboratory ID: 20-008518-0001
Relinquished by: Ryan Lavigne
Temp: 20.8 °C
Serving Size #1: 1 g

Sample Results

| Potency per 1g | | Method J AOAC 2015 V98-6 (mod) | | Batch: 2006706 | Analyze: 8/16/20 1:40:00 AM |
|--|-------------|--------------------------------|-------|----------------|-----------------------------|
| Analyte | Result | Limits | Units | LOQ | Notes |
| CBC per 1g | < LOQ | | mg/1g | 0.0321 | |
| CBC-A per 1g | < LOQ | | mg/1g | 0.0321 | |
| CBC-Total per 1g | < LOQ | | mg/1g | 0.0602 | |
| CBD per 1g | 56.0 | | mg/1g | 3.21 | |
| CBD-A per 1g | < LOQ | | mg/1g | 0.0321 | |
| CBD-Total per 1g | 56.0 | | mg/1g | 3.24 | |
| CBDV per 1g | 0.165 | | mg/1g | 0.0321 | |
| CBDV-A per 1g | < LOQ | | mg/1g | 0.0321 | |
| CBDV-Total per 1g | 0.165 | | mg/1g | 0.0599 | |
| CBG per 1g | < LOQ | | mg/1g | 0.0321 | |
| CBG-A per 1g | < LOQ | | mg/1g | 0.0321 | |
| CBG-Total per 1g | < LOQ | | mg/1g | 0.0599 | |
| CBL per 1g | < LOQ | | mg/1g | 0.0321 | |
| CBN per 1g | < LOQ | | mg/1g | 0.0321 | |
| Δ8-THC per 1g | < LOQ | | mg/1g | 0.0321 | |
| Δ9-THC per 1g | < LOQ | | mg/1g | 0.0321 | |
| THC-A per 1g | < LOQ | | mg/1g | 0.0321 | |
| THC-Total per 1g | < LOQ | | mg/1g | 0.0602 | |
| THCV per 1g | < LOQ | | mg/1g | 0.0321 | |
| THCV-A per 1g | < LOQ | | mg/1g | 0.0321 | |
| THCV-Total per 1g | < LOQ | | mg/1g | 0.0602 | |
| Total Cannabinoids 1g[†] | 56.2 | | mg/1g | | |

Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made.



12423 NE Whitaker Way
Portland, OR 97230
503-254-1794



Report Number: 20-008518/D04.R00
Report Date: 08/25/2020
ORELAP#: OR100028
Purchase Order:
Received: 08/13/20 10:30

Customer: Etz Hayim Holdings
Product identity: CG104-CWB.SL25
Client/Metric ID: Form-7/31/-CG104
Laboratory ID: 20-008518-0002

Summary

Microbiology:

Less than LOQ for all analytes.



12423 NE Whitaker Way
Portland, OR 97230
503-254-1794



Report Number: 20-008518/D04.R00
Report Date: 08/25/2020
ORELAP#: OR100028
Purchase Order:
Received: 08/13/20 10:30

Customer: Etz Hayim Holdings

Product identity: CG104-CWB.SL25
Client/Metric ID: Form-7/31/-CG104
Sample Date:
Laboratory ID: 20-008518-0002
Relinquished by: Ryan Lavigne
Temp: 20.8 °C

Sample Results

Microbiology

| Analyte | Result | Limits | Units | LOQ | Batch | Analyze | Method | Notes |
|-------------------------|--------|--------|-------|-----|---------|----------|-------------------------|-------|
| E.coli | < LOQ | | cfu/g | 10 | 2006806 | 08/22/20 | AOAC 991.14 (Petrifilm) | X |
| Total Coliforms | < LOQ | | cfu/g | 10 | 2006806 | 08/22/20 | AOAC 991.14 (Petrifilm) | X |
| Mold (RAPID Petrifilm) | < LOQ | | cfu/g | 10 | 2006807 | 08/22/20 | AOAC 2014.05 (RAPID) | X |
| Yeast (RAPID Petrifilm) | < LOQ | | cfu/g | 10 | 2006807 | 08/22/20 | AOAC 2014.05 (RAPID) | X |



12423 NE Whitaker Way
Portland, OR 97230
503-254-1794



Report Number: 20-008518/D03.R00
Report Date: 08/25/2020
ORELAP#: OR100028
Purchase Order:
Received: 08/13/20 10:30

Customer: Etz Hayim Holdings
Product identity: CG104-CWB.SL25
Client/Metric ID: Form-7/31/-CG104
Laboratory ID: 20-008518-0003

Summary

Residual Solvents:

All analytes passing and less than LOQ.

Pesticides:

All analytes passing and less than LOQ.

Metals:

Less than LOQ for all analytes.



12423 NE Whitaker Way
 Portland, OR 97230
 503-254-1794

Report Number: 20-008518/D03.R00
Report Date: 08/25/2020
ORELAP#: OR100028
Purchase Order:
Received: 08/13/20 10:30



Customer: Etz Hayim Holdings

Product identity: CG104-CWB.SL25
Client/Metric ID: Form-7/31/-CG104
Sample Date:
Laboratory ID: 20-008518-0003
Relinquished by: Ryan Lavigne
Temp: 20.8 °C

Sample Results

| Solvents | | | | | Method EPA5021A | | | | | Units µg/g | | Batch 2006846 | | Analyze 08/21/20 07:11 AM | | | |
|-------------------------|--------|--------|------|--------|-----------------|----------------------|--------|--------|------|------------|-------|---------------|--|---------------------------|--|--|--|
| Analyte | Result | Limits | LOQ | Status | Notes | Analyte | Result | Limits | LOQ | Status | Notes | | | | | | |
| 1,4-Dioxane | < LOQ | 380 | 100 | pass | | 2-Butanol | < LOQ | 5000 | 200 | pass | | | | | | | |
| 2-Ethoxyethanol | < LOQ | 160 | 30.0 | pass | | 2-Methylbutane | < LOQ | | 200 | | | | | | | | |
| 2-Methylpentane | < LOQ | | 30.0 | | | 2-Propanol (IPA) | < LOQ | 5000 | 200 | pass | | | | | | | |
| 2,2-Dimethylbutane | < LOQ | | 30.0 | | | 2,2-Dimethylpropane | < LOQ | | 200 | | | | | | | | |
| 2,3-Dimethylbutane | < LOQ | | 30.0 | | | 3-Methylpentane | < LOQ | | 30.0 | | | | | | | | |
| Acetone | < LOQ | 5000 | 200 | pass | | Acetonitrile | < LOQ | 410 | 100 | pass | | | | | | | |
| Benzene | < LOQ | 2.00 | 1.00 | pass | | Butanes (sum) | < LOQ | 5000 | 400 | pass | | | | | | | |
| Cyclohexane | < LOQ | 3880 | 200 | pass | | Ethanol ¹ | < LOQ | | 200 | | | | | | | | |
| Ethyl acetate | < LOQ | 5000 | 200 | pass | | Ethyl benzene | < LOQ | | 200 | | | | | | | | |
| Ethyl ether | < LOQ | 5000 | 200 | pass | | Ethylene glycol | < LOQ | 620 | 200 | pass | | | | | | | |
| Ethylene oxide | < LOQ | 50.0 | 30.0 | pass | | Hexanes (sum) | < LOQ | 290 | 150 | pass | | | | | | | |
| Isopropyl acetate | < LOQ | 5000 | 200 | pass | | Isopropylbenzene | < LOQ | 70.0 | 30.0 | pass | | | | | | | |
| m,p-Xylene | < LOQ | | 200 | | | Methanol | < LOQ | 3000 | 200 | pass | | | | | | | |
| Methylene chloride | < LOQ | 600 | 200 | pass | | Methylpropane | < LOQ | | 200 | | | | | | | | |
| n-Butane | < LOQ | | 200 | | | n-Heptane | < LOQ | 5000 | 200 | pass | | | | | | | |
| n-Hexane | < LOQ | | 30.0 | | | n-Pentane | < LOQ | | 200 | | | | | | | | |
| o-Xylene | < LOQ | | 200 | | | Pentanes (sum) | < LOQ | 5000 | 600 | pass | | | | | | | |
| Propane | < LOQ | 5000 | 200 | pass | | Tetrahydrofuran | < LOQ | 720 | 100 | pass | | | | | | | |
| Toluene | < LOQ | 890 | 100 | pass | | Total Xylenes | < LOQ | | 400 | | | | | | | | |
| Total Xylenes and Ethyl | < LOQ | 2170 | 600 | pass | | | | | | | | | | | | | |

Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made.



12423 NE Whitaker Way
 Portland, OR 97230
 503-254-1794

Report Number: 20-008518/D03.R00
Report Date: 08/25/2020
ORELAP#: OR100028
Purchase Order:
Received: 08/13/20 10:30



| Pesticides | | | | | | | | | | | |
|--|--------|--------|-------|--------|-------|---------------------|--------|--------|-------|--------|-------|
| Method AOAC 2007.01 & EN 15662 (mod) Units mg/kg Batch 2006854 Analyze 08/25/20 02:07 PM | | | | | | | | | | | |
| Analyte | Result | Limits | LOQ | Status | Notes | Analyte | Result | Limits | LOQ | Status | Notes |
| Abamectin | < LOQ | 0.50 | 0.250 | pass | | Acephate | < LOQ | 0.40 | 0.250 | pass | |
| Acequinocyl | < LOQ | 2.0 | 1.00 | pass | | Acetamiprid | < LOQ | 0.20 | 0.100 | pass | |
| Aldicarb | < LOQ | 0.40 | 0.200 | pass | | Azoxystrobin | < LOQ | 0.20 | 0.100 | pass | |
| Bifenazate | < LOQ | 0.20 | 0.100 | pass | | Bifenthrin | < LOQ | 0.20 | 0.100 | pass | |
| Boscalid | < LOQ | 0.40 | 0.200 | pass | | Carbaryl | < LOQ | 0.20 | 0.100 | pass | |
| Carbofuran | < LOQ | 0.20 | 0.100 | pass | | Chlorantraniliprole | < LOQ | 0.20 | 0.100 | pass | |
| Chlorfenapyr | < LOQ | 1.0 | 0.500 | pass | | Chlorpyrifos | < LOQ | 0.20 | 0.100 | pass | |
| Clofentezine | < LOQ | 0.20 | 0.100 | pass | | Cyfluthrin | < LOQ | 1.0 | 0.500 | pass | |
| Cypermethrin | < LOQ | 1.0 | 0.500 | pass | | Daminozide | < LOQ | 1.0 | 0.500 | pass | |
| Diazinon | < LOQ | 0.20 | 0.100 | pass | | Dichlorvos | < LOQ | 1.0 | 0.500 | pass | |
| Dimethoate | < LOQ | 0.20 | 0.100 | pass | | Ethoprophos | < LOQ | 0.20 | 0.100 | pass | |
| Etofenprox | < LOQ | 0.40 | 0.200 | pass | | Etoxazole | < LOQ | 0.20 | 0.100 | pass | |
| Fenoxycarb | < LOQ | 0.20 | 0.100 | pass | | Fenpyroximate | < LOQ | 0.40 | 0.200 | pass | |
| Fipronil | < LOQ | 0.40 | 0.200 | pass | | Fonicamid | < LOQ | 1.0 | 0.400 | pass | |
| Fludioxonil | < LOQ | 0.40 | 0.200 | pass | | Hexythiazox | < LOQ | 1.0 | 0.400 | pass | |
| Imazalil | < LOQ | 0.20 | 0.100 | pass | | Imidacloprid | < LOQ | 0.40 | 0.200 | pass | |
| Kresoxim-methyl | < LOQ | 0.40 | 0.200 | pass | | Malathion | < LOQ | 0.20 | 0.100 | pass | |
| Metalaxyl | < LOQ | 0.20 | 0.100 | pass | | Methiocarb | < LOQ | 0.20 | 0.100 | pass | |
| Methomyl | < LOQ | 0.40 | 0.200 | pass | | MGK-264 | < LOQ | 0.20 | 0.100 | pass | |
| Myclobutanil | < LOQ | 0.20 | 0.100 | pass | | Naled | < LOQ | 0.50 | 0.250 | pass | |
| Oxamyl | < LOQ | 1.0 | 0.500 | pass | | Paclobutrazole | < LOQ | 0.40 | 0.200 | pass | |
| Parathion-Methyl | < LOQ | 0.20 | 0.200 | pass | | Permethrin | < LOQ | 0.20 | 0.100 | pass | |
| Phosmet | < LOQ | 0.20 | 0.100 | pass | | Piperonyl butoxide | < LOQ | 2.0 | 1.00 | pass | |
| Prallethrin | < LOQ | 0.20 | 0.200 | pass | | Propiconazole | < LOQ | 0.40 | 0.200 | pass | |
| Propoxur | < LOQ | 0.20 | 0.100 | pass | | Pyrethrin I (total) | < LOQ | 1.0 | 0.500 | pass | |
| Pyridaben | < LOQ | 0.20 | 0.100 | pass | | Spinosad | < LOQ | 0.20 | 0.100 | pass | |
| Spiromesifen | < LOQ | 0.20 | 0.100 | pass | | Spirotetramat | < LOQ | 0.20 | 0.100 | pass | |
| Spiroxamine | < LOQ | 0.40 | 0.200 | pass | | Tebuconazole | < LOQ | 0.40 | 0.200 | pass | |
| Thiacloprid | < LOQ | 0.20 | 0.100 | pass | | Thiamethoxam | < LOQ | 0.20 | 0.100 | pass | |
| Trifloxystrobin | < LOQ | 0.20 | 0.100 | pass | | | | | | | |

| Metals | | | | | | | | | | |
|---------|--------|--------|-------|--------|---------|----------|---------------------|-------|--|--|
| Analyte | Result | Limits | Units | LOQ | Batch | Analyze | Method | Notes | | |
| Arsenic | < LOQ | | mg/kg | 0.0424 | 2006856 | 08/20/20 | AOAC 2013.06 (mod.) | X | | |
| Cadmium | < LOQ | | mg/kg | 0.0424 | 2006856 | 08/20/20 | AOAC 2013.06 (mod.) | X | | |
| Lead | < LOQ | | mg/kg | 0.0424 | 2006856 | 08/20/20 | AOAC 2013.06 (mod.) | X | | |
| Mercury | < LOQ | | mg/kg | 0.0212 | 2006856 | 08/20/20 | AOAC 2013.06 (mod.) | X | | |

Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made.